


VELOCE™ FB
10s
EP6-VLXCFB




R.H. COMPLETE CONTROL LEVER / COMANDO DX COMPLETO

EP6-VLXFBR

L.H. COMPLETE CONTROL LEVER / COMANDO SX COMPLETO


EP6-VLXFBL

SUPER RECORD™-D
SKELETON™
BR11-SR - BR11-SRDP



COMPLETE FRONT BRAKE / FRENO ANT. COMPLETO
BR11-SRF
COMPLETE REAR BRAKE / FRENO POST. COMPLETO
BR11-SRR (mono pivot) - BR11-SRDPR (dual pivot)

RECORD™-D
SKELETON™
BR11-RE - BR11-REDP




COMPLETE FRONT BRAKE / FRENO ANT. COMPLETO

BR11-REF

COMPLETE REAR BRAKE / FRENO POST. COMPLETO

BR11-RER (mono pivot) - BR11-REDPR (dual pivot)

CHORUS™-D
SKELETON™
BR11-CH - BR11-CHDP




COMPLETE FRONT BRAKE / FRENO ANT. COMPLETO

BR11-CHF

COMPLETE REAR BRAKE / FRENO POST. COMPLETO

BR11-CHR (mono pivot) - BR11-CHDPR (dual pivot)

ATHENA™-D
SKELETON™
BR11-AT - BR11-ATDP



COMPLETE FRONT BRAKE / FRENO ANT. COMPLETO

BR11-ATF (SILVER)/BR12-ATBF (BLACK)

COMPLETE REAR BRAKE / FRENO POST. COMPLETO

BR11-ATR (MP SIL)/BR11-ATDPR (DP SIL)/BR12-ATBR (MP BL)/BR12-ATBDPR (DP BL)

CENTAUR™
BR11-CE

VELOCE™
BR11-VL


BR-AT221 (silver)
BR-CE021 (red)

25-BR-RE021

BR-CH027: 13,5 mm
BR-RE327: 18,5mm
BR-RE427: 24mm

BR-VL010
compatible

BR-RE700



CX™ CANTILEVER

BRAKES

BR12-CXS (silver)


BR12-CXB (black)

COMPLETE FRONT BRAKE / FRENO ANT. COMPLETO

BR12-CXSF (SILVER)/BR12-CXBF (BLACK)

COMPLETE REAR BRAKE / FRENO POST. COMPLETO

BR12-CXSR (SILVER)/BR12-CXSR (BLACK)



BR-CX500

(4 pcs - for alu rims - Dura-Ace compatible)

BR-BO500X

(4 pcs - for carbon rims - Dura-Ace compatible)

BAR-END TT

10s: SL12-TT10CG (alu)

11s: SL12-TT11CG (alu)

SL12-TT11CGC (carbon)

R.H. COMPLETE CONTROL LEVER / COMANDO DX COMPLETO

SL12-TT10R - SL12-TT11R - SL12-TT11CR

L.H. COMPLETE CONTROL LEVER / COMANDO SX COMPLETO




SL12-TT10L - SL12-TT11L - SL12-TT11CL

CABLES & CASINGS / CAVI E GUAINA


CG-SL500

R: SL-TT003 (A) - SL-TT003C (C)
L: SL-TT004 (A) - SL-TT004C (C)

R: SL-TT005 (10s) - SL-TT007 (11s)
L: SL-TT006




SL-TT008



SL-TT001 right
SL-TT002 left

BRAKE LEVERS TT
BL12-TTCG (alu)
BL12-TTCGC (carbon)



R.H. COMPLETE BRAKE LEVER / LEVA FRENO DX COMPLETA


BL12-TTCR (carbon) - BL12-TTR (alu)

L.H. COMPLETE BRAKE LEVER / LEVA FRENO SX COMPLETA


BL12-TTCL (carbon) - BL12-TTL (alu)

CABLES & CASINGS / CAVI E GUAINA

CG-BL500



TT™
FRONT BRAKE
BR12-TTFLP




TT™

REAR BRAKES


BR12-TTRLP (central pull)

BR12-TTRCP (lateral pull)

CENTRAL PULL




LATERAL PULL




QR11-20BFR

(front + rear)





8-QF-RE108




nuovi bloccaggi?

QR8-40BFR

(front + rear)



RECORD™
HB7-RE2




HB-RE100
KIT MOZZO / HUB KIT

- 2 x HB-RE021
- 2 x HB-RE022
- 2 x HB-RE124
- 2 x HB-RE023



RECORD™
9s/10s/11s
FH7-RE2

HB-RE100
KIT MOZZO / HUB KIT



2 x HB-RE021
 2 x HB-RE022
 2 x HB-RE124
 2 x HB-RE023




RECORD™
PISTA™
HB02-REPI..



RECORD™
PISTA™
FH02-REPI..




GHIERE / LOCKRINGS / ECROUS / VERSCHLUSSRING

	CODE CODICE	TYPE TIPO	RANGE GAMMA	HUB COMPATIBILITY COMPATIBILITÀ MOZZI	
	CS-401	9s / 10s “oversize” thread/fil.: 27 x 1	steel / acciaio	2000 e succ. 2000 and following	all groups / tutti i gruppi all wheels / tutte le ruote
				1999	RECORD™ - CHORUS™ all wheels / tutte le ruote
	CS-501	9s / 10s “oversize” thread/fil.: 27 x 1	steel / acciaio (for Z. 11)	2000 e succ. 2000 and following	all groups / tutti i gruppi all wheels / tutte le ruote
				1999	RECORD™ - CHORUS™ all wheels / tutte le ruote
CS-701	for sprockets/ per pignoni HG 10s thread/fil.: 27 x 1	steel / acciaio	2007-2008	all Campagnolo® wheels with HG 10 type FW body / tutte le ruote Campagnolo® con corpetto RL tipo HG 10	
CS-801	for sprockets/ per pignoni HG 10s thread/fil.: 27 x 1	steel / acciaio (for Z. 11)	2007-2008	all Campagnolo® wheels with HG 10 type FW body / tutte le ruote Campagnolo® con corpetto RL tipo HG 10	
	CS-112	11 TM SPEED only thread/fil.: 27 x 1	alloy / alluminio	2009	only 11s sprocket sets / solo pacchi pignoni 11s
	CS-111	11 TM SPEED only thread/fil.: 27 x 1	alloy / alluminio (for Z. 11)	2009	only 11s sprocket sets / solo pacchi pignoni 11s


SUPER RECORD™**11s
CS9-SR1...**

* pre-assembled



11-23	A	11A-1°	12A-2°	13A	F	14A	F	15A	R	16A-17A-18A*	F	19A-21A-23A*
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-678T		11S-913T
11-25	A	11A-1°	12A-2°	13A	F	14A	F	15A	R	16A-17A-19B*	F	21B-23B-25B*
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-679T		11S-135BT


A	CS-112	11s only
	CS-111	11s only (for Z 11)
F	2-CS-612 (2 pcs)	2,2 mm
R	2-CS-712 (2 pcs)	2,3 mm



12-25	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-18A-19A*	F	21A-23A-25A*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-789T		11S-135AT
12-27	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-19B-21B*	F	23B-25B-27B*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-791T		11S-357T
12-29	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-19B-21B*	F	23B-26C-29C*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-791T		11S-369T


RECORD™
11s
CS9-RE1...

* pre-assembled




11-23	A	11A-1°	12A-2°	13A	F	14A	F	15A	R	16A-17A-18A*	F	19A-21A-23A*
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-678		11S-913T
11-25	A	11A-1°	12A-2°	13A	F	14A	F	15A	R	16A-17A-19B*	F	21B-23B-25B*
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-679		11S-135BT

A	CS-112	11s only
	CS-111	11s only (for Z 11)
F	2-CS-612 (2 pcs)	2,2 mm
R	2-CS-712 (2 pcs)	2,3 mm




12-25	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-18A-19A*	F	21A-23A-25A*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-789		11S-135AT
12-27	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-19B-21B*	F	23B-25B-27B*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-791		11S-357T
12-29	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-19B-21B*	F	23B-26C-29C*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-791		11S-369T

* pre-assembled



11-23	A	11A-1°	12A-2°	13A	F	14A	F	15A	R	16A-17A-18A*	F	19A-21A-23A*
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-678		11S-913
11-25	A	11A-1°	12A-2°	13A	F	14A	F	15A	R	16A-17A-19B*	F	21B-23B-25B*
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-679		11S-135B

A	CS-112	<i>11s only</i>
	CS-111	<i>11s only</i> (for Z 11)
F	2-CS-612 (2 pcs)	2,2 mm
R	2-CS-712 (2 pcs)	2,3 mm



12-25	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-18A-19A*	F	21A-23A-25A*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-789		11S-135A
12-27	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-19B-21B*	F	23B-25B-27B*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-791		11S-357
12-29	A	12A-1°	13A	F	14A	F	15A	F	16A	R	17A-19B-21B*	F	23B-26C-29C*
		11S-012	11S-131		11S-141		11S-151		11S-161		11S-791		11S-369

CENTAUR™
UD™ 10s
CS9-CEX43
CS11-CEX..

DISTANZIALI / SPACERS

G = CS-602 (2,55 mm)

M = CS-606 (3,05 mm)


N = CS-607 (2,4 mm)

O = CS-609 (2,55 mm)

P = CS-608 (1,6 mm)

Q = CS-610 (2,4 mm)

VELOCE 10s compatible



* pre-assembled

11 - 23	11A-1° 10S-011	12A-2° 10S-022	13A 10S-131	Q	14A 10S-141	Q	15A 10S-151	Q	16A 10S-161	G	17A 10S-171	N	19A 10S-191	M	21A-23A* 10S-13A			
11 - 25	11A-1° 10S-011	12A-2° 10S-022	13A 10S-131	Q	14A 10S-141	Q	15A 10S-151	Q	17G 10S-177	O	19G 10S-197	N	21G 10S-217	M	23G-25G* 10S-35G			
12 - 25	12A-1° 10S-032	13A 10S-131	Q	14A 10S-141	Q	15A 10S-151	Q	16A 10S-161	Q	17A 10S-171	O	19A 10S-191	N	21A 10S-211	M	23A-25A* 10S-35A		
13 - 26	13A-1° 10S-023	14A 10S-141	Q	15A 10S-151	Q	16A 10S-161	Q	17A 10S-171	N	18C 10S-183	O	19C 10S-193	N	21C 10S-213	M	23C-26C* 10S-36C		
13 - 29	13A-1° 10S-023	14A 10S-141	Q	15A 10S-151	Q	16A 10S-161	Q	17A 10S-171	N	19A 10S-191	O	21A 10S-211	N	23A 10S-231	M	26A-29A* 10S-69A		
14 - 23	14A-1° 10S-014	15A 10S-151	Q	16A 10S-161	Q	17A 10S-171	Q	18C 10S-183	N	19C 10S-193	O	20D 10S-204	N	21D 10S-214	N	22D 10S-224	P	23D 10S-234


GHIBLI™
 (11s drivetrain)
 CS12-GH1111
 CS12-GH1113

A	CS-111	11s only (for Z 11)
----------	---------------	-------------------------------


R	2-CS-712 (2 pcs)	2,3 mm
----------	----------------------------	---------------

F	2-CS-612 (2 pcs)	2,2 mm
----------	----------------------------	---------------

S	CS-613 (2 pcs)	2,5 mm
----------	--------------------------	---------------




11-21	A	11A-1°	12A-2°	13A	F	14A	F	15A	F	16A	R	17A-19A-21A*	S
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-161		11S-791	





11-23	A	11A-1°	12A-2°	13A	F	14A	F	15A	R	17A-19A*	F	21A-23A*	S
		11S-011	11S-022	11S-131		11S-141		11S-151		11S-79GH		11S-13GH	

**PRO-FIT™ /
PRO-FIT PLUS™
SPARE PARTS**


R + L: PD-RE105



PD-RE116





**PRO-FIT™
PD-RE111**



PRO-FIT PLUS™
PD-RE110: standard - 27°
PD-RE109: HRE - optional - 30°

**PRO-FIT™ /
PRO-FIT PLUS™
SPARE PARTS**




PD-RE020 FLOATING CLEATS - PD-RE021 FIXED CLEATS

CABLES & CASINGS for ULTRA-SHIFT™ & POWER-SHIFT™ ERGOPOWER





COMPLETE SET

BLACK	CG-ER600
WHITE	CG-ER600W
RED	CG-ER600R

		FRONT	REAR
BRAKES		Ø 1,6 mm L. 800 mm CG-CB003	Ø 1,6 mm L. 1600 mm 10-CG-CB013 (10 pcs.)
DERAILLEURS	 Ø 1,2 mm	L. 1600 CG-CB014	
		L. 2000 10-CG-CB009 (10 pcs.)	
		Ø 5,7 mm 10-CG-CS112 (for CG-CS115 and CG-CS108 - sealed / con guarnizione - 10 pcs.)	
		Ø 5,7/4 mm 5-CG-CS113 (for CG-CS115 and CG-CS108 - sealed / con guarnizione - 5 pcs.)	

CABLES & CASINGS for all Ergopower™ control levers (except for ULTRA-SHIFT™)


Complete set: CG-ER500

		FRONT	REAR	
BRAKES		Ø 1,6 mm L. 800 mm CG-CB003	Ø 1,6 mm L. 1600 mm 10-CG-CB013 (10 pcs.)	
		Ø 6 mm 10-CG-CS011 (10 pcs.) (not sealed / senza guarnizione)		
DERAILLEURS	 Ø 1,2 mm	ERGOPOWER	L. 1600	CG-CB014
		ERGOPOWER	L. 2000	10-CG-CB009 (10 pcs.)
		Ø 5,7 mm 10-CG-CS012 (for CG-CS015 and CG-CS008 - sealed / con guarnizione - 10 pcs.)		
		Ø 5,7/4 mm 5-CG-CS013 (for CG-CS015 and CG-CS008 - sealed / con guarnizione - 5 pcs.)		

TRADITIONAL LEVERS: CG-BR201 (brakes) - CG-DD101 (derailleurs)



LB-100 (1 pc.)
10-LB-100 (10 pcs.)
Grease 100 gr.



4-PL6-RE
RECORD™
cable guide plate (resin)