




BULLET™ ULTRA clincher (H50 - standard bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFR	FRONT+REAR Campagnolo FW body	1.590
	WH12-BUUCFRX	FRONT+REAR HG type FW body	1.629
	WH12-BUUCF	front	727
	WH12-BUUCR	rear Campagnolo FW body	863
	WH12-BUUCRX	rear HG type FW body	902
	DARK LABEL		
	WH12-BUUCFRDK	FRONT+REAR Campagnolo FW body	1.590
	WH12-BUUCFRXDK	FRONT+REAR HG type FW body	1.629
	WH12-BUUCFDK	front	727
	WH12-BUUCRDK	rear Campagnolo FW body	863
	WH12-BUUCRXDK	rear HG type FW body	902

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	WH-003BUU (no labels) WH-004BUU (no labels) LAB-BUU12 (front+rear) - LAB-BUU12DK (front+rear DARK) 6,5 mm UT-WH130M (male extension) - UT-WH130F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205

HUBS		
		
 HB-RE100 HUB KIT 2 x HB-RE021 2 x HB-RE022 2 x HB-RE124 2 x HB-RE023		
QUICK-RELEASES	QR12-BUUBFR	front + rear


SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU KIT-04BUU KIT-500BUU WH-015BUU UT-WH010 UT-WH160 UT-WH050 UT-WH090	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates red - 10 pieces anti-rotation spokes magnet-attractor for nipple nipple-guide spoke wrenches



NOTES

BULLET™ ULTRA clincher (H50 - USB™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on “racing” or “cyclocross” bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFRU	FRONT+REAR Campagnolo FW body - USB	1.590
	WH12-BUUCFRXU	FRONT+REAR HG type FW body - USB	1.629
	WH12-BUUCFU	front - USB	727
	WH12-BUUCRU	rear Campagnolo FW body - USB	863
	WH12-BUUCRXU	rear HG type FW body - USB	902
	DARK LABEL		
	WH12-BUUCFRUDK	FRONT+REAR Campagnolo FW body - USB	1.590
	WH12-BUUCFRXUDK	FRONT+REAR HG type FW body - USB	1.629
	WH12-BUUCFUDK	front - USB	727
	WH12-BUUCRUDK	rear Campagnolo FW body - USB	863
	WH12-BUUCRXUDK	rear HG type FW body - USB	902

RIM			
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	WH-003BUU (no labels) WH-004BUU (no labels) LAB-BUU12 (front+rear) - LAB-BUU12DK (front+rear DARK) 6,5 mm UT-WH130M (male extension) - UT-WH130F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205	

HUBS		
		
		
QUICK-RELEASES	QR12-BUUBFR	front + rear


SPOKES			
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU KIT-04BUU KIT-500BUU WH-015BUU UT-WH010 UT-WH160 UT-WH050 UT-WH090	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates red - 10 pieces anti-rotation spokes magnet-attractor for nipple nipple-guide spoke wrenches	



NOTES			

BULLET™ ULTRA clincher (H50 - CULT™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFRC	FRONT+REAR Campagnolo FW body - CULT	1.590
	WH12-BUUCFRXC	FRONT+REAR HG type FW body - CULT	1.629
	WH12-BUUCFC	front - CULT	727
	WH12-BUUCRC	rear Campagnolo FW body - CULT	863
	WH12-BUUCRXC	rear HG type FW body - CULT	902
	DARK LABEL		
	WH12-BUUCFRCDK	FRONT+REAR Campagnolo FW body - CULT	1.590
	WH12-BUUCFRXCDK	FRONT+REAR HG type FW body - CULT	1.629
	WH12-BUUCFCDK	front - CULT	727
	WH12-BUUCRCDK	rear Campagnolo FW body - CULT	863
	WH12-BUUCRXCDK	rear HG type FW body - CULT	902

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	WH-003BUU (no labels) WH-004BUU (no labels) LAB-BUU12 (front+rear) - LAB-BUU12DK (front+rear DARK) 6,5 mm UT-WH130M (male extension) - UT-WH130F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205


HUBS		
		
	HB-HY100 CULT™ KIT 2 x HB-RE021 2 x HB-HY022 2 x HB-HY024 2 x HB-HY123	(Campy 9/11) (HG 8/10)




QUICK-RELEASES	QR12-BUUBFR	front + rear
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU KIT-04BUU KIT-500BUU WH-015BUU UT-WH010 UT-WH160 UT-WH050 UT-WH090	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates red - 10 pieces anti-rotation spokes magnet-attractor for nipple nipple-guide spoke wrenches
NOTES		

BULLET™ ULTRA clincher (H80 - standard bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFR80	FRONT+REAR Campagnolo FW body	1.770
	WH12-BUUCFRX80	FRONT+REAR HG type FW body	1.809
	WH12-BUUCF80	front	815
	WH12-BUUCR80	rear Campagnolo FW body	955
	WH12-BUUCRX80	rear HG type FW body	994
	DARK LABEL		
	WH12-BUUCFR80DK	FRONT+REAR Campagnolo FW body	1.770
	WH12-BUUCFRX80DK	FRONT+REAR HG type FW body	1.809
	WH12-BUUCF80DK	front	815
	WH12-BUUCR80DK	rear Campagnolo FW body	955
	WH12-BUUCR80XDK	rear HG type FW body	994


RIM AND SPOKES		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	WH-003BUU80 (no labels) WH-004BUU80 (no labels) LAB-BUU1280 (front+rear) - LAB-BUU1280DK (front+rear DARK) 6,5 mm UT-WH140M (male extension) - UT-WH140F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205
	COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT	KIT-03BUU80 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU80 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU80 (2 front spokes+2 rear right spokes+2 rear left spokes+6 nuts+6 nut supporting plates)
	NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)



HUBS		
		
		
		
QUICK-RELEASES	QR12-BUUBFR	front + rear

NOTES

BULLET™ ULTRA clincher (H80 - USB™ bearings)**HIGH PROFILE**

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFRU80	FRONT+REAR Campagnolo FW body - USB	1.770
	WH12-BUUCFRXU80	FRONT+REAR HG type FW body - USB	1.809
	WH12-BUUCFU80	front - USB	815
	WH12-BUUCRU80	rear Campagnolo FW body - USB	955
	WH12-BUUCRXU80	rear HG type FW body - USB	994
	DARK LABEL		
	WH12-BUUCFRU80DK	FRONT+REAR Campagnolo FW body - USB	1.770
	WH12-BUUCFRXU80DK	FRONT+REAR HG type FW body - USB	1.809
	WH12-BUUCFU80DK	front - USB	815
	WH12-BUUCRU80DK	rear Campagnolo FW body - USB	955
	WH12-BUUCRXU80DK	rear HG type FW body - USB	994

RIM AND SPOKES	
 FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	WH-003BUU80 (no labels) WH-004BUU80 (no labels) LAB-BUU1280 (front+rear) - LAB-BUU1280DK (front+rear DARK) 6,5 mm UT-WH140M (male extension) - UT-WH140F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205 KIT-03BUU80 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU80 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU80 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)


HUBS	
	
	
QUICK-RELEASES	QR12-BUUBFR front + rear



NOTES

BULLET™ ULTRA clincher (H80 - CULT™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFRC80	FRONT+REAR Campagnolo FW body - CULT	1.770
	WH12-BUUCFRXC80	FRONT+REAR HG type FW body - CULT	1.809
	WH12-BUUCFC80	front - CULT	815
	WH12-BUUCRC80	rear Campagnolo FW body - CULT	955
	WH12-BUUCRXC80	rear HG type FW body - CULT	994
	DARK LABEL		
	WH12-BUUCFRC80DK	FRONT+REAR Campagnolo FW body - CULT	1.770
	WH12-BUUCFRXC80DK	FRONT+REAR HG type FW body - CULT	1.809
	WH12-BUUCFC80DK	front - CULT	815
	WH12-BUUCRC80DK	rear Campagnolo FW body - CULT	955
	WH12-BUUCRXC80DK	rear HG type FW body - CULT	994


RIM AND SPOKES		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	WH-003BUU80 (no labels) WH-004BUU80 (no labels) LAB-BUU1280 (front+rear) - LAB-BUU1280DK (front+rear DARK) 6,5 mm UT-WH140M (male extension) - UT-WH140F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205
	COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU80 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU80 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU80 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)



HUBS		
		
		
HB-HY100 CULT™ KIT 2 x HB-RE021 2 x HB-HY022 2 x HB-HY024 2 x HB-HY123		
QUICK-RELEASES	QR12-BUUBFR	front + rear

NOTES

BULLET™ ULTRA clincher (H105 - standard bearings)**HIGH PROFILE**

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFR105	FRONT+REAR Campagnolo FW body	1.960
	WH12-BUUCFRX105	FRONT+REAR HG type FW body	1.999
	WH12-BUUCF105	front	910
	WH12-BUUCR105	rear Campagnolo FW body	1.050
	WH12-BUUCRX105	rear HG type FW body	1.089
	DARK LABEL		
	WH12-BUUCFR105DK	FRONT+REAR Campagnolo FW body	1.960
	WH12-BUUCFRX105DK	FRONT+REAR HG type FW body	1.999
	WH12-BUUCF105DK	front	910
	WH12-BUUCR105DK	rear Campagnolo FW body	1.050
	WH12-BUUCR105XDK	rear HG type FW body	1.089

RIM AND SPOKES		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	WH-003BUU105 (no labels) WH-004BUU105 (no labels) LAB-BUU12105 (front+rear) - LAB-BUU12105DK (front+rear DARK) 6,5 mm UT-WH150M (male extension) - UT-WH150F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205
	COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU105 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU105 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU105 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)


HUBS		
		
		HB-RE100 HUB KIT 2 x HB-RE021 2 x HB-RE022 2 x HB-RE124 2 x HB-RE023
QUICK-RELEASES	QR12-BUUBFR	front + rear



NOTES

BULLET™ ULTRA clincher (H105 - USB™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on “racing” or “cyclocross” bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFRU105	FRONT+REAR Campagnolo FW body - USB	1.960
	WH12-BUUCFRXU105	FRONT+REAR HG type FW body - USB	1.999
	WH12-BUUCFU105	front - USB	910
	WH12-BUUCRU105	rear Campagnolo FW body - USB	1.050
	WH12-BUUCRXU105	rear HG type FW body - USB	1.089
	DARK LABEL		
	WH12-BUUCFRU105DK	FRONT+REAR Campagnolo FW body - USB	1.960
	WH12-BUUCFRXU105DK	FRONT+REAR HG type FW body - USB	1.999
	WH12-BUUCFU105DK	front - USB	910
	WH12-BUUCRU105DK	rear Campagnolo FW body - USB	1.050
	WH12-BUUCRXU105DK	rear HG type FW body - USB	1.089

RIM AND SPOKES		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	WH-003BUU105 (no labels) WH-004BUU105 (no labels) LAB-BUU12105 (front+rear) - LAB-BUU12105DK (front+rear DARK) 6,5 mm UT-WH150M (male extension) - UT-WH150F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205 KIT-03BUU105 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU105 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU105 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)


HUBS		
		
		
QUICK-RELEASES	QR12-BUUBFR	front + rear



NOTES

BULLET™ ULTRA clincher (H105 - CULT™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUCFRC105	FRONT+REAR Campagnolo FW body - CULT	1.960
	WH12-BUUCFRXC105	FRONT+REAR HG type FW body - CULT	1.999
	WH12-BUUCFC105	front - CULT	910
	WH12-BUUCRC105	rear Campagnolo FW body - CULT	1.050
	WH12-BUUCRXC105	rear HG type FW body - CULT	1.089
	DARK LABEL		
	WH12-BUUCFRC105DK	FRONT+REAR Campagnolo FW body - CULT	1.960
	WH12-BUUCFRXC105DK	FRONT+REAR HG type FW body - CULT	1.999
	WH12-BUUCFC105DK	front - CULT	910
	WH12-BUUCRC105DK	rear Campagnolo FW body - CULT	1.050
	WH12-BUUCRXC105DK	rear HG type FW body - CULT	1.089

RIM AND SPOKES		
 FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	WH-003BUU105 (no labels) WH-004BUU105 (no labels) LAB-BUU12105 (front+rear) - LAB-BUU12105DK (front+rear DARK) 6,5 mm UT-WH150M (male extension) - UT-WH150F (female extension) 700C (622 x 15C) See section table and inflation pressures on page 205 KIT-03BUU105 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU105 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU105 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)	


HUBS		
	 HB-HY100 CULT™ KIT 2 x HB-RE021 2 x HB-HY022 2 x HB-HY024 2 x HB-HY123	
QUICK-RELEASES	QR12-BUUBFR	front + rear



NOTES

BULLET™ ULTRA 2-Way Fit™ (H50 - standard bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FR	FRONT+REAR Campagnolo FW body	1.590
	WH12-BUU2FRX	FRONT+REAR HG type FW body	1.629
	WH12-BUU2F	front	727
	WH12-BUU2R	rear Campagnolo FW body	863
	WH12-BUU2RX	rear HG type FW body	902
	DARK LABEL		
	WH12-BUU2FRDK	FRONT+REAR Campagnolo FW body	1.590
	WH12-BUU2FRXDK	FRONT+REAR HG type FW body	1.629
	WH12-BUU2FDK	front	727
	WH12-BUU2RDK	rear Campagnolo FW body	863
	WH12-BUU2RXDK	rear HG type FW body	902

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-WAY FIT™ VALVE VALVE HOLE BUSHING VALVE EXTENSION DIAMETER TYRE	WH-013BUU (no labels) WH-014BUU (no labels) LAB-BUU12 (front+rear) - LAB-BUU12DK (front+rear DARK) 6,5 mm WH-SH001 5-WH-SH002 (for valve seat reduction - 5 pieces) UT-WH100M (male extension) - UT-WH130F (female extension) 634mm See recommended tyre manufacturer inflation pressure

HUBS		
		
		
QUICK-RELEASES	QR12-BUUBFR	front + rear


SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU KIT-04BUU KIT-500BUU WH-015BUU UT-WH010 UT-WH160 UT-WH050 UT-WH090	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates red - 10 pieces anti-rotation spokes magnet-attractor for nipple nipple-guide spoke wrenches



NOTES

BULLET™ ULTRA 2-Way Fit™ (H50 - USB™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FRU	FRONT+REAR Campagnolo FW body - USB	1.590
	WH12-BUU2FRXU	FRONT+REAR HG type FW body - USB	1.629
	WH12-BUU2FU	front - USB	727
	WH12-BUU2RU	rear Campagnolo FW body - USB	863
	WH12-BUU2RXU	rear HG type FW body - USB	902
	DARK LABEL		
	WH12-BUU2FRUDK	FRONT+REAR Campagnolo FW body - USB	1.590
	WH12-BUU2FRXUDK	FRONT+REAR HG type FW body - USB	1.629
	WH12-BUU2FUDK	front - USB	727
	WH12-BUU2RUDK	rear Campagnolo FW body - USB	863
	WH12-BUU2RXUDK	rear HG type FW body - USB	902

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE 2-Way Fit™ VALVE HOLE BUSHING VALVE EXTENSION DIAMETER TYRE	WH-013BUU (no labels) WH-014BUU (no labels) LAB-BUU12 (front+rear) - LAB-BUU12DK (front+rear DARK) 6,5 mm WH-SH001 5-WH-SH002 (for valve seat reduction - 5 pieces) UT-WH100M (male extension) - UT-WH130F (female extension) 634mm See recommended tyre manufacturer inflation pressure

HUBS		
		
		
QUICK-RELEASES	QR12-BUUBFR	front + rear


SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU KIT-04BUU KIT-500BUU WH-015BUU UT-WH010 UT-WH160 UT-WH050 UT-WH090	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates red - 10 pieces anti-rotation spokes magnet-attractor for nipple nipple-guide spoke wrenches



NOTES

BULLET™ ULTRA 2-Way Fit™ (H50 - CULT™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FRC	FRONT+REAR Campagnolo FW body - CULT	1.590
	WH12-BUU2FRXC	FRONT+REAR HG type FW body - CULT	1.629
	WH12-BUU2FC	front - CULT	727
	WH12-BUU2RC	rear Campagnolo FW body - CULT	863
	WH12-BUU2RXC	rear HG type FW body - CULT	902
	DARK LABEL		
	WH12-BUU2FRCDK	FRONT+REAR Campagnolo FW body - CULT	1.590
	WH12-BUU2FRXCDK	FRONT+REAR HG type FW body - CULT	1.629
	WH12-BUU2FCDK	front - CULT	727
	WH12-BUU2RCDK	rear Campagnolo FW body - CULT	863
	WH12-BUU2RXCDK	rear HG type FW body - CULT	902

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-Way Fit™ VALVE VALVE HOLE BUSHING VALVE EXTENSION DIAMETER TYRE	WH-013BUU (no labels) WH-014BUU (no labels) LAB-BUU12 (front+rear) - LAB-BUU12DK (front+rear DARK) 6,5 mm WH-SH001 5-WH-SH002 (for valve seat reduction - 5 pieces) UT-WH100M (male extension) - UT-WH130F (female extension) 634mm See recommended tyre manufacturer inflation pressure

HUBS		
		
		
QUICK-RELEASES	QR12-BUUBFR	front + rear

SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	KIT-03BUU KIT-04BUU KIT-500BUU WH-015BUU UT-WH010 UT-WH160 UT-WH050 UT-WH090	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates red - 10 pieces anti-rotation spokes magnet-attractor for nipple nipple-guide spoke wrenches


NOTES

BULLET™ ULTRA 2-Way Fit™ (H80 - standard bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FR80	FRONT+REAR Campagnolo FW body	1.770
	WH12-BUU2FRX80	FRONT+REAR HG type FW body	1.809
	WH12-BUU2F80	front	815
	WH12-BUU2R80	rear Campagnolo FW body	955
	WH12-BUU2RX80	rear HG type FW body	994
	DARK LABEL		
	WH12-BUU2FR80DK	FRONT+REAR Campagnolo FW body	1.770
	WH12-BUU2FRX80DK	FRONT+REAR HG type FW body	1.809
	WH12-BUU2F80DK	front	815
	WH12-BUU2R80DK	rear Campagnolo FW body	955
	WH12-BUU2R80XDK	rear HG type FW body	994

RIM AND SPOKES



FRONT RIM
REAR RIM
LABEL KIT
VALVE HOLE
2-Way Fit™ VALVE
VALVE HOLE BUSHING
VALVE EXTENSION
DIAMETER
TYRE



COMPLETE FRONT KIT
COMPLETE REAR KIT
MINI-KIT

NIPPLES
SPOKE RING
INSERT NIPPLE
NIPPLE MAGNET
SPOKE SPANNER

WH-013BUU80 (no labels)
WH-014BUU80 (no labels)
LAB-BUU1280 (front+rear) - LAB-BUU1280DK (front+rear DARK)
6,5 mm
WH-SH001
5-WH-SH002 (for valve seat reduction - 5 pieces)
UT-WH110M (male extension) - UT-WH140F (female extension)
634mm
See recommended tyre manufacturer inflation pressure

KIT-03BUU80 (16 front spokes + 16 nuts + 16 nut supporting plates)
KIT-04BUU80 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates)
KIT-500BUU80 (2 front spokes+2 rear right spokes+2 rear left spokes+6 nuts+6 nut supporting plates)
WH-015BUU (red - 10 pieces)
UT-WH010 (anti-rotation spokes)
UT-WH160 (magnet-attractor for nipple)
UT-WH050 (nipple-guide)
UT-WH090 (spoke wrenches)

HUBS




QUICK-RELEASES	QR12-BUUBFR	front + rear
----------------	-------------	--------------


NOTES

BULLET™ ULTRA 2-Way Fit™ (H80 - USB™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on “racing” or “cyclocross” bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FRU80	FRONT+REAR Campagnolo FW body - USB	1.770
	WH12-BUU2FRXU80	FRONT+REAR HG type FW body - USB	1.809
	WH12-BUU2FU80	front - USB	815
	WH12-BUU2RU80	rear Campagnolo FW body - USB	955
	WH12-BUU2RXU80	rear HG type FW body - USB	994
	DARK LABEL		
	WH12-BUU2FRU80DK	FRONT+REAR Campagnolo FW body - USB	1.770
	WH12-BUU2FRXU80DK	FRONT+REAR HG type FW body - USB	1.809
	WH12-BUU2FU80DK	front - USB	815
	WH12-BUU2RU80DK	rear Campagnolo FW body - USB	955
	WH12-BUU2RXU80DK	rear HG type FW body - USB	994

RIM AND SPOKES			
FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-Way Fit™ VALVE VALVE HOLE BUSHING VALVE EXTENSION DIAMETER TYRE	WH-013BUU80 (no labels) WH-014BUU80 (no labels) LAB-BUU1280 (front+rear) - LAB-BUU1280DK (front+rear DARK) 6,5 mm WH-SH001 5-WH-SH002 (for valve seat reduction - 5 pieces) UT-WH110M (male extension) - UT-WH140F (female extension) 634mm See recommended tyre manufacturer inflation pressure		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT	KIT-03BUU80 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU80 (12 rear right spokes+6 rear left spokes+18 nut+18 nut supporting plates) KIT-500BUU80 (2 front spokes + 2 rear right spokes + 2 rear right spokes + 6 nuts + 6 nut supporting plates)		
NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)		

HUBS			
QUICK-RELEASES	QR12-BUUBFR	front + rear	


NOTES

BULLET™ ULTRA 2-Way Fit™ (H80 - CULT™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FRC80	FRONT+REAR Campagnolo FW body - CULT	1.770
	WH12-BUU2FRXC80	FRONT+REAR HG type FW body - CULT	1.809
	WH12-BUU2FC80	front - CULT	815
	WH12-BUU2RC80	rear Campagnolo FW body - CULT	955
	WH12-BUU2RXC80	rear HG type FW body - CULT	994
	DARK LABEL		
	WH12-BUU2FRC80DK	FRONT+REAR Campagnolo FW body - CULT	1.770
	WH12-BUU2FRXC80DK	FRONT+REAR HG type FW body - CULT	1.809
	WH12-BUU2FC80DK	front - CULT	815
	WH12-BUU2RC80DK	rear Campagnolo FW body - CULT	955
	WH12-BUU2RXC80DK	rear HG type FW body - CULT	994

RIM AND SPOKES



FRONT RIM
REAR RIM
LABEL KIT
VALVE HOLE
2-Way Fit™ VALVE
VALVE HOLE BUSHING
VALVE EXTENSION
DIAMETER
TYRE



COMPLETE FRONT KIT
COMPLETE REAR KIT
MINI-KIT

NIPPLES
SPOKE RING
INSERT NIPPLE
NIPPLE MAGNET
SPOKE SPANNER

WH-013BUU80 (**no labels**)
WH-014BUU80 (**no labels**)
LAB-BUU1280 (front+rear) - LAB-BUU1280DK (front+rear **DARK**)
6,5 mm
WH-SH001
5-WH-SH002 (for valve seat reduction - 5 pieces)
UT-WH110M (male extension) - UT-WH140F (female extension)
634mm
See recommended tyre manufacturer inflation pressure

KIT-03BUU80 (16 front spokes + 16 nuts + 16 nut supporting plates)
KIT-04BUU80 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates)
KIT-500BUU80 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates)
WH-015BUU (red - 10 pieces)
UT-WH010 (anti-rotation spokes)
UT-WH160 (magnet-attractor for nipple)
UT-WH050 (nipple-guide)
UT-WH090 (spoke wrenches)

HUBS



QUICK-RELEASES

QR12-BUUBFR


front + rear



NOTES

BULLET™ ULTRA 2-Way Fit™ (H105 - standard bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FR105	FRONT+REAR Campagnolo FW body	1.960
	WH12-BUU2FRX105	FRONT+REAR HG type FW body	1.999
	WH12-BUU2F105	front	910
	WH12-BUU2R105	rear Campagnolo FW body	1.050
	WH12-BUU2RX105	rear HG type FW body	1.089
	DARK LABEL		
	WH12-BUU2FR105DK	FRONT+REAR Campagnolo FW body	1.960
	WH12-BUU2FRX105DK	FRONT+REAR HG type FW body	1.999
	WH12-BUU2F105DK	front	910
	WH12-BUU2R105DK	rear Campagnolo FW body	1.050
	WH12-BUU2R105XDK	rear HG type FW body	1.089


RIM AND SPOKES	
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-Way Fit™ VALVE VALVE HOLE BUSHING VALVE EXTENSION DIAMETER TYRE COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER
	WH-013BUU105 (no labels) WH-014BUU105 (no labels) LAB-BUU12105 (front+rear) - LAB-BUU12105DK (front+rear DARK) 6,5 mm WH-SH001 5-WH-SH002 (for valve seat reduction - 5 pieces) UT-WH120M (male extension) - UT-WH150F (female extension) 634mm See recommended tyre manufacturer inflation pressure KIT-03BUU105 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU105 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU105 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)



HUBS	
	
	HB-RE100 HUB KIT 2 x HB-RE021 2 x HB-RE022 2 x HB-RE124 2 x HB-RE023
QUICK-RELEASES	QR12-BUUBFR front + rear

NOTES

BULLET™ ULTRA 2-Way Fit™ (H105 - USB™ bearings)**HIGH PROFILE**

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FRU105	FRONT+REAR Campagnolo FW body - USB	1.960
	WH12-BUU2FRXU105	FRONT+REAR HG type FW body - USB	1.999
	WH12-BUU2FU105	front - USB	910
	WH12-BUU2RU105	rear Campagnolo FW body - USB	1.050
	WH12-BUU2RXU105	rear HG type FW body - USB	1.089
	DARK LABEL		
	WH12-BUU2FRU105DK	FRONT+REAR Campagnolo FW body - USB	1.960
	WH12-BUU2FRXU105DK	FRONT+REAR HG type FW body - USB	1.999
	WH12-BUU2FU105DK	front - USB	910
	WH12-BUU2RU105DK	rear Campagnolo FW body - USB	1.050
	WH12-BUU2RXU105DK	rear HG type FW body - USB	1.089

RIM AND SPOKES		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-Way Fit™ VALVE VALVE HOLE BUSHING VALVE EXTENSION DIAMETER TYRE COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	WH-013BUU105 (no labels) WH-014BUU105 (no labels) LAB-BUU12105 (front+rear) - LAB-BUU12105DK (front+rear DARK) 6,5 mm WH-SH001 5-WH-SH002 (for valve seat reduction - 5 pieces) UT-WH120M (male extension) - UT-WH150F (female extension) 634mm See recommended tyre manufacturer inflation pressure KIT-03BUU105 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU105 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU105 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)


HUBS		
		
		
QUICK-RELEASES	QR12-BUUBFR	front + rear



NOTES

BULLET™ ULTRA 2-Way Fit™ (H105 - CULT™ bearings)

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUU2FRC105	FRONT+REAR Campagnolo FW body - CULT	1.960
	WH12-BUU2FRXC105	FRONT+REAR HG type FW body - CULT	1.999
	WH12-BUU2FC105	front - CULT	910
	WH12-BUU2RC105	rear Campagnolo FW body - CULT	1.050
	WH12-BUU2RXC105	rear HG type FW body - CULT	1.089
	DARK LABEL		
	WH12-BUU2FRC105DK	FRONT+REAR Campagnolo FW body - CULT	1.960
	WH12-BUU2FRXC105DK	FRONT+REAR HG type FW body - CULT	1.999
	WH12-BUU2FC105DK	front - CULT	910
	WH12-BUU2RC105DK	rear Campagnolo FW body - CULT	1.050
	WH12-BUU2RXC105DK	rear HG type FW body - CULT	1.089

RIM AND SPOKES		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-Way Fit™ VALVE VALVE HOLE BUSHING VALVE EXTENSION DIAMETER TYRE COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING INSERT NIPPLE NIPPLE MAGNET SPOKE SPANNER	WH-013BUU105 (no labels) WH-014BUU105 (no labels) LAB-BUU12105 (front+rear) - LAB-BUU12105DK (front+rear DARK) 6,5 mm WH-SH001 5-WH-SH002 (for valve seat reduction - 5 pieces) UT-WH120M (male extension) - UT-WH150F (female extension) 634mm See recommended tyre manufacturer inflation pressure KIT-03BUU105 (16 front spokes + 16 nuts + 16 nut supporting plates) KIT-04BUU105 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates) KIT-500BUU105 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates) WH-015BUU (red - 10 pieces) UT-WH010 (anti-rotation spokes) UT-WH160 (magnet-attractor for nipple) UT-WH050 (nipple-guide) UT-WH090 (spoke wrenches)


HUBS		
		
	HB-HY100 CULT™ KIT 2 x HB-RE021 2 x HB-HY022 2 x HB-HY024 2 x HB-HY123	
QUICK-RELEASES	QR12-BUUBFR	front + rear



NOTES

BORA™ ONE tubular

LOW PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH10-BOTFR1	FRONT+REAR Campagnolo FW body+brake shoes BR-BO500	1.350
	WH10-BOTFRX1	FRONT+REAR HG type FW body+brake shoes BR-BO500X	1.389
	WH10-BOTF1	front+brake shoes BR-BO500	590
	WH10-BOTFX1	front+brake shoes BR-BO500X	590
	WH10-BOTR1	rear Campagnolo FW body+brake shoes BR-BO500	760
	WH10-BOTRX1	rear HG type FW body+brake shoes BR-BO500X	799
	DARK LABEL		
	WH12-BOTFR1DK	FRONT+REAR Campagnolo FW body+brake shoes BR-BO500	1.350
	WH12-BOTFRX1DK	FRONT+REAR HG type FW body+brake shoes BR-BO500X	1.389
	WH12-BOTF1DK	front+brake shoes BR-BO500	590
	WH12-BOTFX1DK	front+brake shoes BR-BO500X	590
	WH12-BOTR1DK	rear Campagnolo FW body+brake shoes BR-BO500	760
	WH12-BOTRX1DK	rear HG type FW body+brake shoes BR-BO500X	799

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE BRAKE SHOES	WH-001BO1 (with standard labels) - WH-001BO1DK (with DARK labels) WH-002BO1 (with standard labels) - WH-002BO1DK (with DARK labels) LAB-BO1T10 (front+rear) - LAB-BO1T10DK (front+rear DARK) 6,5 mm UT-HU130 634 mm See recommended tyre manufacturer inflation pressure for carbon rims - BR-BO500 (per Campagnolo brakes) - BR-BO500X (per Shimano brakes)

HUBS		
		
	HB-RE100 HUB KIT 2 x HB-RE021 2 x HB-RE022 2 x HB-RE124 2 x HB-RE023	(Campy 9/11) (HG 8/10)
QUICK-RELEASES	QR12-BUUBFR	front + rear

SPOKES		
COMPLETE FRONT KIT	KIT-01BO1	18 front spokes + 18 nuts + 18 nut supporting plates
COMPLETE REAR KIT	KIT-02BO1	14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates
MINI-KIT	KIT-100BO1	2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates
NUTS	10-WH-010BO	10 pieces
NUT SUPPORTING PLATES	10-WH-011BO	10 pieces


 WARNING!



Because of the high temperatures reached when breaking, we recommend you use only glue for tubular tires specifically for carbon fibre rims.

BORA™ ULTRA™ TWO tubular

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH9-BOTFR	FRONT+REAR Campagnolo FW body+brake shoes BR-BO500	1.310
	WH9-BOTFRX	FRONT+REAR HG type FW body+brake shoes BR-BO500X	1.344
	WH9-BOTF	front+brake shoes BR-BO500	565
	WH9-BOTFX	front+brake shoes BR-BO500X	565
	WH9-BOTR	rear Campagnolo FW body+brake shoes BR-BO500	745
	WH9-BOTRX	rear HG type FW body+brake shoes BR-BO500X	779
	DARK LABEL		
	WH12-BOTFRDK	FRONT+REAR Campagnolo FW body+brake shoes BR-BO500	1.310
	WH12-BOTFRXDK	FRONT+REAR HG type FW body+brake shoes BR-BO500X	1.344
	WH12-BOTFDK	front+brake shoes BR-BO500	565
	WH12-BOTFXDK	front+brake shoes BR-BO500X	565
	WH12-BOTRDK	rear Campagnolo FW body+brake shoes BR-BO500	745
	WH12-BOTRDK	rear HG type FW body+brake shoes BR-BO500X	779

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE BRAKE SHOES	WH-601BO (with standard labels) - WH-101BODK (with DARK labels) WH-502BO (with standard labels) - WH-102BODK (with DARK labels) LAB-BOT9 (front+rear) - LAB-BOT12DK (front+rear DARK) 6,5 mm UT-HU130 634 mm See recommended tyre manufacturer inflation pressure for carbon rims - BR-BO500 (per Campagnolo brakes) - BR-BO500X (per Shimano brakes)

HUBS		
	 HB-HY100 CULT™ KIT 2 x HB-RE021 2 x HB-HY022 2 x HB-HY024 2 x HB-HY123	
QUICK-RELEASES	QR12-BUUBFR	front + rear

SPOKES		
COMPLETE FRONT KIT	KIT-31BO	18 front spokes + 18 nuts + 18 nut supporting plates
COMPLETE REAR KIT	KIT-42BO	14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates
MINI-KIT	KIT-400BO	2 front spokes. + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates
NUTS	10-WH-010BO	10 pieces
NUT SUPPORTING PLATES	10-WH-011BO	10 pieces


! WARNING!
Because of the high temperatures reached when breaking, we recommend you use only glue for tubular tires specifically for carbon fibre rims.

BORA™ ULTRA™ 80 tubular

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BOTFR80	FRONT+REAR Campagnolo FW body+brake shoes BR-BO500	1.540
	WH12-BOTFRX80	FRONT+REAR HG type FW body+brake shoes BR-BO500X	1.579
	WH12-BOTF80	front+brake shoes BR-BO500	715
	WH12-BOTFX80	front+brake shoes BR-BO500X	715
	WH12-BOTR80	rear Campagnolo FW body+brake shoes BR-BO500	825
	WH12-BOTRX80	rear HG type FW body+brake shoes BR-BO500X	864
	DARK LABEL		
	WH12-BOTFR80DK	FRONT+REAR Campagnolo FW body+brake shoes BR-BO500	1.540
	WH12-BOTFRX80DK	FRONT+REAR HG type FW body+brake shoes BR-BO500X	1.579
	WH12-BOTF80DK	front+brake shoes BR-BO500	715
	WH12-BOTFX80DK	front+brake shoes BR-BO500X	715
	WH12-BOTR80DK	rear Campagnolo FW body+brake shoes BR-BO500	825
	WH12-BOTRX80DK	rear HG type FW body+brake shoes BR-BO500X	864

RIM AND SPOKES



FRONT RIM
REAR RIM
LABEL KIT
VALVE HOLE
VALVE EXTENSION
DIAMETER
TYRE
BRAKE SHOES



COMPLETE FRONT KIT
COMPLETE REAR KIT
MINI-KIT

NIPPLES
SPOKE RING
INSERT NIPPLE
NIPPLE MAGNET
SPOKE SPANNER


WH-001BO80 (no labels)
WH-002BO80 (no labels)
LAB-BOT1280 (front+rear) - LAB-BOT1280DK (front+rear DARK)
6,5 mm
UT-WH160M (male extension) - UT-WH160F (female extension)
634 mm
See recommended tyre manufacturer inflation pressure
for carbon rims - BR-BO500 (per Campagnolo brakes) - BR-BO500X (per Shimano brakes)

KIT-03BUU80 (16 front spokes + 16 nuts + 16 nut supporting plates)
KIT-04BUU80 (12 rear right spokes+6 rear left spokes+18 nuts+18 nut supporting plates)
KIT-500BUU80 (2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates)
WH-015BUU (red - 10 pieces)
UT-WH010 (anti-rotation spokes)
UT-WH160 (magnet-attractor for nipple)
UT-WH050 (nipple-guide)
UT-WH090 (spoke wrenches)

HUBS



**HB-HY100
CULT™ KIT**
2 x HB-RE021
2 x HB-HY022
2 x HB-HY024
2 x HB-HY123



QUICK-RELEASES

QR12-BUUBFR

front + rear

WARNING!

Because of the high temperatures reached when breaking, we recommend you use only glue for tubular tires specifically for carbon fibre rims.

GHIBLI™ ULTRA™ tubular

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH9-GHR28X	rear road	1.010
	WH9-GHPF28	front track 28"	955
	WH9-GHPR28	rear track 28"	995

RIM	
RIM	disc profile tensile-structure in aramidic fibre Braking surface in aluminium
TYRE	See recommended tyre manufacturer inflation pressure

HUBS

REAR ROAD

FRONT TRACK

REAR TRACK

QUICK-RELEASES

QR12-BUUBFR


front + rear



NOTES

PISTA™ tubular

HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH02-PTF WH02-PTR	front rear	995 1.040

RIM			
	FRONT RIM	WH-001PI (with labels)	
	REAR RIM	WH-002PI (with labels)	
	LABEL KIT	LAB-PIT07 (for a pair of front+rear wheels)	
	VALVE HOLE	6,5 mm	
	VALVE EXTENSION	UT-HU100	
	DIAMETER	634 mm	
	TYRE SECTION	See recommended tyre manufacturer inflation pressure	

HUBS			
			
			


SPOKES			
COMPLETE FRONT KIT	KIT-01PI	20 front spokes + 20 nuts + 20 nut supporting plates	
COMPLETE REAR KIT	KIT-02PI	24 rear spokes + 24 nuts + 24 nut supporting plates	
MINI-KIT	KIT-100PI	2 front spokes + rear spokes + 6 nuts + 6 nut supporting plates	
NUTS	10-WH-010BO	10 pieces	
NUT SUPPORTING PLATES	10-WH-011EU	10 pieces	




NOTES			

KHAMSIN™ CX clincher

CYCLOCROSS - MEDIUM PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH11-KHXCFRB	FRONT+REAR Campagnolo FW body	1.873
	WH12-KHXCFRXB	FRONT+REAR HG type FW body	1.912
	WH11-KHXCFB	front	828
	WH11-KHXCRB	rear Campagnolo FW body	1.045
	WH12-KHXCRXB	rear HG type FW body	1.084

RIM		
	RIM-TAPE LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	2-WH-RT01 (18 mm - 2 pieces) LAB-KHXCB11 (for a pair of front+rear wheels) 6,5 mm 700C (622 x 15C) See section table and inflation pressures on page 205* * These wheels are designed to mount cyclo-cross up to 35 mm tyres. We highly recommend complying with maximum pressures indicated on cyclo-cross tyres. Do no use 29" MTB tyres.

HUBS		
		
		
		
QUICK-RELEASES	QR8-40BFR	black - front + rear

SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPLES	KIT-23KHB KIT-24KHB KIT-300KHB 50-WH-NZO	24 front spokes + 24 nipples 18 rear right spokes + 9 rear left spokes + 27 nipples 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nipples 50 pieces


NOTES	

VENTO™ REACTION™ CX clincher

CYCLOCROSS - MEDIUM PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH11-VEXCFRB	FRONT+REAR Campagnolo FW body	1.827
	WH12-VEXCFRXB	FRONT+REAR HG type FW body	1.866
	WH11-VEXCFB	front	825
	WH11-VEXCRB	rear Campagnolo FW body	1.002
	WH12-VEXCRXB	rear HG type FW body	1.041

RIM




RIM-TAPE
LABEL KIT
VALVE HOLE
DIAMETER
TYRE SECTION

2-WH-RT01 (18 mm - 2 pieces)
LAB-VEXCB11 (for a pair of front+rear wheels)
6,5 mm
700C (622 x 15C)
See section table and inflation pressures on page 205*

* These wheels are designed to mount cyclo-cross up to 35 mm tyres. We highly recommend complying with maximum pressures indicated on cyclo-cross tyres.
Do no use 29" MTB tyres.

HUBS



QUICK-RELEASES	QR8-40BFR	front + rear
----------------	-----------	--------------

SPOKES


COMPLETE FRONT KIT	KIT-23VEB	23 front spokes + 1 special spoke + 24 nipples
COMPLETE REAR KIT	KIT-34VEB	18 rear right spokes + 8 rear left spokes + 1 rear left special spoke + 27 nipples
MINI-KIT	KIT-700VEB	3 front spokes + 5 rear spokes + 7 nipples
NIPLES	50-WH-NZO	50 pieces




NOTES

SCIROCCO™ CX clincher

CYCLOCROSS - MEDIUM PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH11-SCXCFRB	FRONT+REAR Campagnolo FW body	1.795
	WH12-SCXCFRXB	FRONT+REAR HG type FW body	1.834
	WH11-SCXCFB	front	775
	WH11-SCXCRB	rear Campagnolo FW body	1.020
	WH12-SCXCRXB	rear HG type FW body	1.059

RIM			
	RIM-TAPE LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	2-WH-RT01 (18 mm - 2 pieces) LAB-SCXCB11 (for a pair of front+rear wheels) 6,5 mm 700C (622 x 15C) See section table and inflation pressures on page 205*	
		* These wheels are designed to mount cyclo-cross up to 35 mm tyres. We highly recommend complying with maximum pressures indicated on cyclo-cross tyres. Do no use 29" MTB tyres.	

HUBS		
		
		
		
QUICK-RELEASES	QR12-ZOBFR	front + rear


SPOKES			
COMPLETE FRONT KIT	KIT-43SCB	16 front spokes + 16 nipples	
COMPLETE REAR KIT	KIT-44SCB	14 rear right spokes + 7 rear left spokes + 21 nipples	
MINI-KIT	KIT-700SCB	2 front spokes + 2 rear right spokes + 2 rear leeft spokes + 6 nipples	
NIPLES	50-WH-NZO	50 pieces	



NOTES			

BULLET™ ULTRA CX clincher (H50)

CYCLOCROSS - HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BUUXCFR	FRONT+REAR Campagnolo FW body	1.610
	WH12-BUUXCFRX	FRONT+REAR HG type FW body	1.649
	WH12-BUUXCF	front	737
	WH12-BUUXCR	rear Campagnolo FW body	873
	WH12-BUUXCRX	rear HG type FW body	912

RIM			
	FRONT RIM	WH-003BUU (no labels)	
	REAR RIM	WH-004BUU (no labels)	
	LABEL KIT	LAB-BUU12 (front+rear) - LAB-BUU12DK (front+rear DARK)	
	VALVE HOLE	6,5 mm	
	VALVE EXTENSION	UT-WH130M (male extension) - UT-WH130F (female extension)	
	DIAMETER	700C (622 x 15C)	
	TYRE	See section table and inflation pressures on page 205*	
		* These wheels are designed to mount cyclo-cross up to 35 mm tyres. We highly recommend complying with maximum pressures indicated on cyclo-cross tyres. Do no use 29" MTB tyres.	

HUBS			
			
			
HB-RE100 HUB KIT 2 x HB-RE021 2 x HB-RE022 2 x HB-RE124 2 x HB-RE023			
QUICK-RELEASES	QR12-BUUBFR	front + rear	


SPOKES			
COMPLETE FRONT KIT	KIT-03BUU	18 front spokes + 18 nuts + 18 nut supporting plates	
COMPLETE REAR KIT	KIT-04BUU	14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates	
MINI-KIT	KIT-500BUU	2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates	
NIPPLES	WH-015BUU	red - 10 pieces	
SPOKE RING	UT-WH010	anti-rotation spokes	
INSERT NIPPLE	UT-WH160	magnet-attractor for nipple	
NIPPLE MAGNET	UT-WH050	nipple-guide	
SPOKE SPANNER	UT-WH090	spoke wrenches	



NOTES			

BORA™ ONE CX tubular

CYCLOCROSS - HIGH PROFILE

INTENDED USE	WHEEL CODES	DESCRIPTION	WEIGHT
This product has been designed and manufactured to be fitted and used only on "racing" or "cyclocross" bikes (if they bear the CX mark), and any other use is expressly excluded. Any other use of this product (like, for instance, cross country, all mountain-enduro, acrobatic off-road, downhill, fourcross, freeride, free-style or any other type of extreme off-road cycling as defined by UCI) can cause accidents, injuries and even death and is therefore expressly forbidden	WH12-BOXTFR1	FRONT+REAR Campagnolo FW body+brake shoes BR-BO500	1.350
	WH12-BOXTFRX1	FRONT+REAR HG type FW body+brake shoes BR-BO500X	1.389
	WH12-BOXTF1	front+brake shoes BR-BO500	590
	WH12-BOXTFX1	front+brake shoes BR-BO500X	590
	WH12-BOXTR1	rear Campagnolo FW body+brake shoes BR-BO500	760
	WH12-BOXTRX1	rear HG type FW body+brake shoes BR-BO500X	799

RIM			
	FRONT RIM	WH-001BO1 (with labels)	See recommended tyre manufacturer inflation pressure for carbon rims - BR-BO500 (per Campagnolo brakes) - BR-BO500X (per Shimano brakes)
	REAR RIM	WH-002BO1 (with labels)	
	LABEL KIT	LAB-BO1T10 (front+rear)	
	VALVE HOLE	6,5 mm	
	VALVE EXTENSION	UT-HU130	
	DIAMETER	634 mm	
	TYRE		
	BRAKE SHOES		

HUBS			
			
			
QUICK-RELEASES	QR12-BUUBFR	front + rear	

SPOKES			
COMPLETE FRONT KIT	KIT-01BO1	18 front spokes + 18 nuts + 18 nut supporting plates	
COMPLETE REAR KIT	KIT-02BO1	14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates	
MINI-KIT	KIT-100BO1	2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates	
NUTS	10-WH-010BO	10 pieces	
PIASTRINE	10-WH-011BO	10 pieces	

 WARNING!

Because of the high temperatures reached when breaking, we recommend you use only glue for tubular tires specifically for carbon fibre rims.

MAXIMUM OPERATING PRESSURE

			RIM DIMENSION			
			13C		15C	
TYRE WIDTH	mm	in.	BAR	PSI	BAR	PSI
	18	0,70	10,0	146		
	20	0,80	9,5	138		
	23	0,90	9,5	138	9,5	138
	25	1,00	9,0	131	9,0	131
	28	1,10			8,0	117
	30	1,20			7,0	103
	32	1,25			6,7	99
	35	1,30			6,3	93