



Spare parts

MTB / E-MTB / Tools
2024

FULCRUM

2024 SPARE PARTS & TOOLS

ROAD - RIM BRAKE

WIND 40 / 400	6
RACING ZERO CARBON	8
RACING ZERO	10
RACING 3	12
RACING 4 / 400	14
RACING 5 / 500	16
RACING 6 / 600	18
RACING 900	20
SPEED 360T	22
VALVE EXTENSIONS	23

ROAD - DISC BRAKE

SPEED 57 DB	24
SPEED 42 DB	26
SPEED 25 DB	28
SPEED 55 CMPTZN DB	30
SPEED 40 CMPTZN DB	32
WIND 75 DB	34
WIND 57 DB	36
WIND 42 DB	38

2024 SPARE PARTS & TOOLS

ROAD - DISC BRAKE		
	RACING ZERO CARBON CMPTZN DB	40
	RACING ZERO CARBON DB	42
	RACING ZERO CMPTZN DB	44
	RACING ZERO DB	46
	RACING 3 DB	48
	AIRBEAT 550 DB	50
	AIRBEAT 400 DB	52
	RACING 4 / 400 DB	54
	RACING 5 / 500 DB	56
	RACING 6 / 600 DB	58
	RACING 800 DB	60
	RACING 900B DB	62
	RACING 900 DB	64
	SPEED 360 DB	66
GRAVEL		
	RAPID RED CARBON	68
	RAPID RED 3/300 650b	70
	RAPID RED 3/300 700c	72

2024 SPARE PARTS & TOOLS

GRAVEL		
	RAPID RED 5 650b (HG11- XDR)	74
	RAPID RED 5 650b (N3W)	76
	RAPID RED 500 650b (HG11- XDR)	78
	RAPID RED 500 650b (N3W)	80
	RAPID RED 5 700c (HG11- XDR)	82
	RAPID RED 5 700c (N3W)	84
	RAPID RED 500 700c (Ø30 mm HG11- XDR)	86
	RAPID RED 500 700c (Ø30 mm N3W)	88
	RAPID RED 500 700c (Ø33 mm FW body)	90
	RAPID RED 900 650b	92
	RAPID RED 900 700c	94
E-ROAD - DISC BRAKE		
	E-RACING 4 / 400	96
	E-RACING 900	98
	E-RACING 400 EBM X20	100
FW BODIES - ROAD / GRAVEL		102

2024 SPARE PARTS & TOOLS

N3W KIT RETROFIT	108
FW BODIES - E-ROAD / E-GRAVEL	109
QUICK-RELEASES	110
MTB	
RED ZONE CARBON+	112
RED ZONE CARBON	114
RED ZONE 3 / 300	116
RED ZONE 5 / 500	118
RED METAL 5 / 500	120
FW BODIES	122


2024 SPARE PARTS & TOOLS

2WF-READY CONVERSION KIT	125
E-MTB	
E-METAL 3 / 300	126
E-METAL 5 / 500	134
E-METAL 700	142
E-FIRE 3 / 300	150
E-FIRE 5 / 500	154
E-FIRE 700	158
TOOLS & ACCESSORIES	162

RED ZONE CARBON+

AFS
front BOOST: HH15-110
rear BOOST: HH12-148

RIMS & SPOKES/CERCHI E RAGGI

RIM 	FRONT / REAR RIM LABEL KIT VALVE HOLE BUSHING VALVE DIAMETER	RZCP-FR24 (with labels) RZCP-LAB24 (front + rear) RWX-014 (5 pcs) M1-044 622 x 28TC (ISO 5775-2)
SPOKES COMPLETE FRONT / REAR SPOKE L. 294,5 NIPPLES	RZC-016 50-RZ3-ABSL	4 spokes + 4 nipples 50 pcs.

RED ZONE CARBON+

AFS
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI




Diagram illustrating the components of the Red Zone Carbon+ Hubs/Mozzi assembly, showing the front and rear hub bodies and associated parts.

Components labeled in the diagram:

- R0-024 (4 pcs)
- RS-020 (2 pcs, ceramic)
- R0-025 (4 pcs)
- 4-R1-008
- RN9-002
- RZ3-001
- RP9-119
- (B) 4-R1-006
- (A) 4-R1-005
- (C) 4-R1-008
- (D) 4-RS-111 (4 pcs, ceramic)
- (D) 4-RS-111 (4 pcs, ceramic)
- (C) 4-R1-008
- (A) 4-R1-005
- (B) 4-R1-006
- R1-004
- R3DB-002 (3 pcs)
- RZ3-003
- RR3-003

RS-150 USB KIT

- 2 x A
- 2 x B
- 2 x C
- 2 x D


Complete FW body / Corpetti RL completi

[R0-201R \(HG 9/12\) + RS-400 \(5 pcs\) – R0-127R \(MICRO SPLINE 12\) – R0-202R \(XDR\) + RS-004 \(5 pcs\) = XD](#)

See exploded view pag. 122

RED ZONE CARBON



RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM VALVE HOLE BUSHING VALVE DIAMETER	RZC-F22 (with labels) RZC-R22 (with labels) RWX-014 (5 pcs) M1-044 623 x 28TSS (ISO 5775-2)
SPOKES		
COMPLETE FRONT SPOKE L. 294,5 COMPLETE REAR SPOKE L. 300 NIPPLES	RZC-016 RZC-017 50-RZ3-ABSL	4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.

AFS
front BOOST: HH15-110
rear BOOST: HH12-148


RED ZONE CARBON

HUBS/MOZZI

		
RN9-100 HUB KIT 2 x C 2 x D 2 x E 2 x F		
		
RS-100 HUB KIT 2 x R1-005 2 x R1-006 2 x R1-008 2 x R1-007		
Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 122

RED ZONE 3 / 300



RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABELS VALVE 2WF-READY-TAPE DIAMETER	RZ3-F22 (with labels to apply) RZ3-R22 (with labels to apply) RZ3-LAB22 (front + rear) M1-044 RR-007 (L = 5 m – W = 28 mm) 29 2WF-Ready
SPOKES		
COMPLETE FRONT SPOKE L. 300,5 COMPLETE REAR SPOKE L. 305 NIPPLES	RZ3-016 RZ3-017 50-RZ3-ABSL	4 spokes + 4 nipples 4 spokes + 4 nipples 50 pcs.

AFS
front BOOST: HH15-110
rear BOOST: HH12-148


RED ZONE 3 / 300

HUBS/MOZZI

		
RN9-100 HUB KIT 2 x C 2 x D 2 x E 2 x F		
		
RS-100 HUB KIT 2 x R1-005 2 x R1-006 2 x R1-008 2 x R1-007		
Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 122

RED ZONE 5 / 500


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE 2WF-READY TAPE VALVE + ADAPTER DIAMETER	RZ500-LAB23 (Red Zone 500 FRONT+REAR) - RZ5-LAB23 (Red Zone 5 FRONT+REAR) 6,5 mm RR-009 (5m x 31mm) SP-2WFR 29" 2WF-Ready
SPOKES		
SPOKES L. 308 (front RH/rear LH) SPOKES L. 307 (front LH/rear RH) NIPPLES	RZ5-DS405 RZ5-DS403 50-R9EBM-BBDS	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

AFS
front BOOST: HH15-110
rear BOOST: HH12-148

RED ZONE 5 / 500


HUBS/MOZZI



Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 122
---	---	----------------------------

RED METAL 5 / 500


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE 2WF-READY TAPE VALVE + ADAPTER DIAMETER	RM500-LAB23 (Red Metal 500 FRONT+REAR) - RM5-LAB23 (Red Metal 5 FRONT+REAR) 6,5 mm RR-011 (5m x 34mm) SP-2WFR 29" 2WF-Ready
SPOKES		
SPOKES L. 308 (front RH/rear LH) SPOKES L. 307 (front LH/rear RH) NIPPLES	RZ5-DS405 RZ5-DS403 50-R9EBM-BBDS	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

AFS
front BOOST: HH15-110
rear BOOST: HH12-148



RED METAL 5 / 500

HUBS/MOZZI





Complete FW body / Corpetti RL completi	R0-201 (HG 9/12) + RS-004 (5 pcs) – R0-127 (MICRO SPLINE 12) – R0-202 (XDR) + RS-004 (5 pcs) = XD	See exploded view pag. 122
---	---	----------------------------


FW BODIES




FW BODIES



FW BODIES



2WF-READY CONVERSION KIT


WHEEL MODEL (rim width in mm)	RIM			CONVERSION KIT	
	Wheels	Diameter (inch)	Width of rim A (mm)	Ring (L x W)	Adhesive tape (W)
Red Zone 5/500/7/700 29" (23c)		29	21-25	KIT-2WF292125 (1650 x 30 mm)	RR-007 (28 mm)
E-Metal 3/300/5/500/7/700 29" (30c), Red Metal 5 29" (27c)		29	26-30	KIT-2WF292630 (1650 x 35 mm)	
Red Zone 5/500/7/700 27,5" (23c)		27,5	21-25	KIT-2WF272125 (1550 x 30 mm)	RR-007 (28 mm)
Red Fire 5/500 (27c), E-Metal 3/300/5/500/7/700 27,5" (30c)		27,5	26-30	KIT-2WF272630 (1550 x 35 mm)	
E-Fire 3/5/7 (35c)		27,5	31-35	KIT-2WF273135 (1550 x 40 mm)	
Red Fire 5/500 (27c)		27,5	27	KIT-2WF272630 (1550 x 35 mm)	RR-009 (31 mm)
E-Metal 3/300/5/500/7/700 27,5" (30c)		27,5	30	KIT-2WF272630 (1550 x 35 mm)	RR-011 (34mm)

Attenzione: codici anelli disponibili solo nel Listino ruote / Note: ring codes available in the Price list wheels only

E- METAL 3/300 27.5

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148



RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM30027-LAB19 (E-METAL 300 FRONT + REAR) - EM327-LAB19 (E-METAL 3 FRONT + REAR) 6,5 mm 2-WH-RT2730 (32,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.282,5 mm (front LH) SPOKES L.283,5 mm (front RH) SPOKES L.287 mm (rear RH) SPOKES L.289 mm (rear LH) NIPPLES TOOL	EFM3-001 EFM3-002 EFM3-003 EFM3-004 50-EMF-015ALB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

E- METAL 3/300 27.5

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI


			
			
XD FW body / Corpetto RL XD	RN9-023S (FW body) + RM17-TA12148 (adapter)	HG FW body only / Corpetto RL HG	B (not coded) = RN9-005 + A

E- METAL 3/300 27.5

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM30027-LAB19 (E-METAL 300 FRONT + REAR) - EM327-LAB19 (E-METAL 3 FRONT + REAR) 6,5 mm 2-WH-RT2730 (32,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
--	--	--


SPOKES

SPOKES L.282,5 mm (front LH)	EFM3-001	8 spokes + 8 nipples
SPOKES L.283,5 mm (front RH)	EFM3-002	8 spokes + 8 nipples
SPOKES L.287 mm (rear RH)	EFM3-003	8 spokes + 8 nipples
SPOKES L.289 mm (rear LH)	EFM3-004	8 spokes + 8 nipples
NIPPLES	50-EMF-015ALB	50 pcs.
TOOL	T-18	spoke spanner

E- METAL 3/300 27.5


6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI



E- METAL 3/300 29

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM329-F20 (with labels) EM329-R20 (with labels) EM30029-LAB19 (E-METAL 300 FRONT + REAR) - EM329-LAB19 (E-METAL 3 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 218 29 2WF-Ready
SPOKES		
SPOKES L.302,5 mm (front) SPOKES L.307 mm (rear) NIPPLES TOOL	EM3-001 EM3-002 50-EMF-015ALB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148

E- METAL 3/300 29

HUBS/MOZZI


XD FW body / Corpetto RL XD	RN9-023S (FW body) + RM17-TA12148 (adapter)	HG FW body only / Corpetto RL HG	B (not coded) = RN9-005 + A
-----------------------------	---	----------------------------------	-----------------------------

E- METAL 3/300 29

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM	EM329-F20 (with labels)
	REAR RIM	EM329-R20 (with labels)
	LABEL KIT	EM30029-LAB19 (E-METAL 300 FRONT + REAR) - EM329-LAB19 (E-METAL 3 FRONT + REAR)
	VALVE HOLE	6,5 mm
	RIM-TAPE	2-WH-RT2930 (32,5 mm - 2 pcs)
	2WF-READY CONVERSION KIT:	see pag. 218
	DIAMETER	29 2WF-Ready


SPOKES

SPOKES L.302,5 mm (front)	EM3-001	8 spokes + 8 nipples
SPOKES L.307 mm (rear)	EM3-002	8 spokes + 8 nipples
NIPPLES	50-EMF-015ALB	50 pcs.
TOOL	T-18	spoke spanner

E- METAL 3/300 29

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


HUBS/MOZZI



E- METAL 5/500 27.5

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148




RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM50027-LAB19 (E-METAL 500 FRONT + REAR) - EM527-LAB19 (E-METAL 5 FRONT + REAR) 6,5 mm 2-WH-RT2730 (32,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.282,5 mm (front LH) SPOKES L.283,5 mm (front RH) SPOKES L.287 mm (rear RH) SPOKES L.289 mm (rear LH) NIPPLES TOOL	EFM5-001 EFM5-002 EFM5-004 EFM5-003 50-EMF-015BRB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

E- METAL 5/500 27.5

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI


			
			
			
XD FW body / Corpetto RL XD	RN9-023S (FW body) + RM17-TA12148 (adapter)	HG FW body only / Corpetto RL HG	B (not coded) = RN9-005 + A

E- METAL 5/500 27.5

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM50027-LAB19 (E-METAL 500 FRONT + REAR) - EM527-LAB19 (E-METAL 5 FRONT + REAR) 6,5 mm 2-WH-RT2730 (32,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
--	--	--


SPOKES

SPOKES L.282,5 mm (front LH)	EFM5-001	8 spokes + 8 nipples
SPOKES L.283,5 mm (front RH)	EFM5-002	8 spokes + 8 nipples
SPOKES L.287 mm (rear RH)	EFM5-004	8 spokes + 8 nipples
SPOKES L.289 mm (rear LH)	EFM5-003	8 spokes + 8 nipples
NIPPLES	50-EMF-015BRB	50 pcs.
TOOL	T-18	spoke spanner

E- METAL 5/500 27.5

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


HUBS/MOZZI



E- METAL 5/500 29

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM50029-LAB19 (E-METAL 500 FRONT + REAR) - EM529-LAB19 (E-METAL 5 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 218 29 2WF-Ready
SPOKES		
SPOKES L.302,5 mm (front) SPOKES L.307 mm (rear) NIPPLES TOOL	EM5-001 EM5-002 50-EMF-015BRB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

E- METAL 5/500 29

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI



RT-004 (4 pcs)

RP9-001

RP7-003

RP9-019

RP9-001

RP9-119

R0-002DB

RP9-002

RP9-004 (4 pcs.)

RP9-022S (HG)

RM0-034 (HG only)

RP9-004 (4 pcs.)

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RN9-005

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RM9-001

RM17-TA12148

RP7-115 (6B) - RP7-015 (AFS)

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RN9-023S (XD)

RM0-034 (HG only)

RP9-004 (4 pcs.)

RP9-119

R0-002DB

RP9-002

RP9-004 (4 pcs.)

RP9-022S (HG)

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RN9-005

RM0-026

RMTB-001

RP9-009 (4 pcs.)

RM9-001

A

B

XD FW body / Corpetto RL XD

RN9-023S (FW body) + RM17-TA12148 (adapter)

HG FW body only / Corpetto RL HG


B (not coded) = RN9-005 + A

139

E- METAL 5/500 29

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM50029-LAB19 (E-METAL 500 FRONT + REAR) - EM529-LAB19 (E-METAL 5 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 218 29 2WF-Ready
SPOKES		
SPOKES L.302,5 mm (front) SPOKES L.307 mm (rear) NIPPLES TOOL	EM5-001 EM5-002 50-EMF-015BRB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

E- METAL 5/500 29

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


HUBS/MOZZI



E- METAL 700 27.5

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148



RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM70027-LAB20 (E-METAL 700 FRONT + REAR) 6,5 mm 2-WH-RT2730 (32,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.285,5 mm (front LH) SPOKES L.288 mm (front RH) SPOKES L.288 mm (rear LH) SPOKES L.285,5 mm (rear RH) NIPPLES	EM7-001 EM7-002 EM7-002 EM7-001 50-EMF-016BRB	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

E- METAL 700 27.5

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148


HUBS/MOZZI

			
			
XD FW body / Corpetto RL XD	RN9-023S (FW body) + RM17-TA12148 (adapter)	HG FW body only / Corpetto RL HG	B (not coded) = RN9-005 + A

E- METAL 700 27.5

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM70027-LAB20 (E-METAL 700 FRONT + REAR) 6,5 mm 2-WH-RT2730 (32,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.285,5 mm (front LH)	EM7-001	8 spokes + 8 nipples
SPOKES L.288 mm (front RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.288 mm (rear LH)	EM7-002	8 spokes + 8 nipples
SPOKES L.285,5 mm (rear RH)	EM7-001	8 spokes + 8 nipples
NIPPLES	50-EMF-016BRB	50 pcs.

E- METAL 700 27.5

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


HUBS/MOZZI



E- METAL 700 29

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148


RIMS & SPOKES/CERCHI E RAGGI


RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM70029-LAB20 (E-METAL 700 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 218 29 2WF-Ready
SPOKES		
SPOKES L.304,5 mm (front LH) SPOKES L.307 mm (front RH) SPOKES L.307 mm (rear LH) SPOKES L.304,5 mm (rear RH) NIPPLES	EM7-003 EM7-004 EM7-004 EM7-003 50-EMF-016BRB	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

E- METAL 700 29

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI





XD FW body / Corpetto RL XD

RM9-023S (FW body) + RM17-TA12148 (adapter)


HG FW body only / Corpetto RL HG

B (not coded) = RN9-005 + A

E- METAL 700 29

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EM70029-LAB20 (E-METAL 700 FRONT + REAR) 6,5 mm 2-WH-RT2930 (32,5 mm - 2 pcs) see pag. 218 29 2WF-Ready
SPOKES		
SPOKES L.304,5 mm (front LH) SPOKES L.307 mm (front RH) SPOKES L.307 mm (rear LH) SPOKES L.304,5 mm (rear RH) NIPPLES	EM7-003 EM7-004 EM7-004 EM7-003 50-EMF-016BRB	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs.

E- METAL 700 29


6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI



E- FIRE 3/300


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF30027-LAB19 (E-FIRE 300 FRONT + REAR) - EF327-LAB19 (E-FIRE 3 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.282,5 mm (front LH)	EFM3-001	8 spokes + 8 nipples
SPOKES L.283,5 mm (front RH)	EFM3-002	8 spokes + 8 nipples
SPOKES L.287 mm (rear RH)	EFM3-003	8 spokes + 8 nipples
SPOKES L.289 mm (rear LH)	EFM3-004	8 spokes + 8 nipples
NIPPLES	50-EMF-015ALB	50 pcs.
TOOL	T-18	spoke spanner

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148

E- FIRE 3/300

HUBS/MOZZI



XD FW body / Corpetto RL XD

RN9-023S (FW body) + RM17-TA12148 (adapter)


HG FW body only / Corpetto RL HG

B (not coded) = RN9-005 + A

E- FIRE 3/300

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF30027-LAB19 (E-FIRE 300 FRONT + REAR) - EF327-LAB19 (E-FIRE 3 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.282,5 mm (front LH) SPOKES L.283,5 mm (front RH) SPOKES L.287 mm (rear RH) SPOKES L.289 mm (rear LH) NIPPLES TOOL	EFM3-001 EFM3-002 EFM3-003 EFM3-004 50-EMF-015ALB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

E- FIRE 3/300


6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148

HUBS/MOZZI



E- FIRE 5/500

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF50027-LAB19 (E-FIRE 500 FRONT + REAR) - EF527-LAB19 (E-FIRE 5 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.282,5 mm (front LH) SPOKES L.283,5 mm (front RH) SPOKES L.287 mm (rear RH) SPOKES L.289 mm (rear LH) NIPPLES TOOL	EFM5-001 EFM5-002 EFM5-004 EFM5-003 50-EMF-015BRB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148


E- FIRE 5/500

HUBS/MOZZI

XD FW body / Corpetto RL XD	RN9-023S (FW body) + RM17-TA12148 (adapter)	HG FW body only / Corpetto RL HG	B (not coded) = RN9-005 + A
-----------------------------	---	----------------------------------	-----------------------------

E- FIRE 5/500


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF50027-LAB19 (E-FIRE 500 FRONT + REAR) - EF527-LAB19 (E-FIRE 5 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.282,5 mm (front LH) SPOKES L.283,5 mm (front RH) SPOKES L.287 mm (rear RH) SPOKES L.289 mm (rear LH) NIPPLES TOOL	EFM5-001 EFM5-002 EFM5-004 EFM5-003 50-EMF-015BRB T-18	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. spoke spanner

6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148


E- FIRE 5/500

HUBS/MOZZI



E- FIRE 700 27.5



RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF70027-LAB20 (E-FIRE 700 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.285,5 mm (front LH)	EM7-001	8 spokes + 8 nipples
SPOKES L.288 mm (front RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.288 mm (rear RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.285,5 mm (rear LH)	EM7-001	8 spokes + 8 nipples
NIPPLES	50-EMF-016BRB	50 pcs.

6 BOLTS & AFS / HG - XD
front BOOST: HH15-110
rear BOOST: HH12-148


E- FIRE 700 27.5

HUBS/MOZZI

			
			
XD FW body / Corpetto RL XD	RN9-023S (FW body) + RM17-TA12148 (adapter)	HG FW body only / Corpetto RL HG	B (not coded) = RN9-005 + A

E- FIRE 700 27.5


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE RIM-TAPE 2WF-READY CONVERSION KIT: DIAMETER	EF70027-LAB20 (E-FIRE 700 FRONT + REAR) 6,5 mm 2-WH-RT2735 (37,5 mm - 2 pcs) see pag. 218 27,5 2WF-Ready
SPOKES		
SPOKES L.285,5 mm (front LH)	EM7-001	8 spokes + 8 nipples
SPOKES L.288 mm (front RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.288 mm (rear RH)	EM7-002	8 spokes + 8 nipples
SPOKES L.285,5 mm (rear LH)	EM7-001	8 spokes + 8 nipples
NIPPLES	50-EMF-016BRB	50 pcs.


6 BOLTS & AFS / MICRO SPLINE
front BOOST: HH15-110
rear BOOST: HH12-148

E- FIRE 700 27.5


HUBS/MOZZI




TOOLS & ACCESSORIES




T-05
Magnete guida-nipplo
Nipple guide magnet




T-18
Chiave tiraraggi per nipplo quadro in alluminio 3,9 mm
Spoke spanner for aluminum square nipple 3,9 mm




T-02
Anello anti-rotazione raggi
Spoke antirotation ring




T-24 RED CARBON / RED PASSION
Chiave tiraraggi
Spoke spanner



T-25 RED CARBON / RED PASSION / SPEED DB/RED ZONE / RED FIRE / E-METAL / E-FIRE / RACING 3/4/5 DB / RAPID RED CARBON/3/300/5/500
Chiave anti-rotazione raggi
Spoke antirotation tool




T-07
Chiave tiraraggi
Spoke spanner



T-09
Magnete velocità
SPD magnet


TOOLS & ACCESSORIES




T-03 RACING 1 / RACING ZERO (BEFORE MY2018) / RED METAL ZERO / RED CARBON / RED METAL 1 / RACING ZERO NITE / RACING ZERO COMPETIZIONE (BEFORE MY2018)
T-10 RED METAL 3 / 29 XLR / FIRE / ZONE XLR / RACING 3 / RACING QUATTRO
T-11 RED WIND XLR / RED WIND / RACING SPEED XLR / RACING SPEED / RED METAL XRP / RACING 3 DB / RACING 4 CARBON / RACING 4 CARBON DB / RACING 4 LG / SPEED / SPEED DB / WIND 40 / WIND DB / RAPID RED CARBON / RED ZONE CARBON

T-29 RACING ZERO (SINCE MY 2018), RACING ZERO COMPETIZIONE (SINCE MY 2018), RACING ZERO NITE (SINCE MY 2018), RACING ZERO DB, RACING ZERO CARBON, RACING ZERO CARBON DB

T-30 RACING 3 (SINCE MY 2018)
Inserto nipplo attira-magnete
Magnet-attracting nipple insert



T-28 (Service Center Only)
Chiave tiraraggi per nipplo quadro in alluminio 3,9 mm
Spoke spanner for aluminum square nipple 3,9 mm



WH-109HYC (6 pcs.)
Leva in composito per rimozione copertoncino
Composite lever for removing clinchers




UT-WHDB001
Chiave per perni esagonali
Tool for hexagonal axle




UT-WHDB002
Inserto metallico per perni esagonali
Metallic insert for hexagonal axle


TOOLS & ACCESSORIES




RS-031 (3 pcs)
Inserto a cremagliera - Road (d.30 mm)
Hub ratchet ring - Road (d.30 mm)
(SERVICE CENTER only)




T-22 (Service Center Only)
Attrezzo per smontaggio cremagliera - Road (d.30 mm)
Hub ratchet ring tool - Road (d.30 mm)



4-M1-101B black (4 pcs.)
Ghiera AFS™
AFS™ lockring



RM0-031 (3 pcs)
Inserto a cremagliera - Mtb & Road (d.33 mm INCLUDE RACING 900/
RACING 900 DB 2020)
Hub ratchet ring - Mtb & Road (d.33 mm INCLUDED RACING 900/
RACING 900 DB 2020)
(SERVICE CENTER only)



T-23 (Service Center Only)
Attrezzo per smontaggio cremagliera - Mtb & Road (d.33 mm
INCLUDE RACING 900/RACING 900 DB 2020)
Hub ratchet ring tool - Mtb & Road (d.33 mm INCLUDED RACING
900/RACING 900 DB 2020)

NOTES

NOTES

NOTES

HEADQUARTER

FULCRUM WHEELS S.R.L.

Via dell'Economia, 103
36100 Vicenza
Tel. +39 0444 289306
Fax +39 0444 962844

BRANCH OFFICES

FRANCE

FULCRUM FRANCE
9 rue du progrès
69800 Saint Priest
Tel. +33(0)4.78.67.37.21
infos@fulcrumwheels.fr

GERMANY

FULCRUM CENTRAL EUROPE GmbH
Alte Garten 62
51371 Leverkusen
Tel. +49 214 3119 7770
Fax. +49 214 3119 0313
info@fulcrum-ce.com

JAPAN

FULCRUM JAPAN
65 Yoshida-cho, Naka-ku
231-0041 Yokohama
Tel +81 45 264 2780
info@fulcrum-jp.com

TAIWAN

PRIMATEK Ltd.
No.4, Gongyequ 10th Rd.
Taichung City 407 - Xitun Dist.
Taiwan (R.O.C.)
Tel: +886 4 23506831
Fax: +886 4 23596764
info@primatek.biz

FULCRUM

www.fulcrumwheels.com